APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Dat	te of filing in State Enginee	r's Office	APR 1 1 1990			
Ret	urned to applicant for corre	ection				
Coı	rrected application filed			.Map filed	APR 2 4 1990	
	The applicant	Joseph F.			*************************************	
	1475 Terminal Way, Street and No. or	Suite 2	_	Reno		
	Street and No. or Nevada 89502	P.O. Box No.	of		City or Town	***************************************
•••••	State and	Zip Code No.	here	by make	application for permis	ssion to change the
	Point of Diversion		of diversion, manner of use, and			
of v	water heretofore appropriate	Downit E2602		· ·		
	ify right in Decree.		·			
·	my right in Decice.					·

1.	The source of water is		Underground		oring or other source.	
2	The amount of water to be	a changed	1.0 c.f.s. (392)	.18 Acre	feet)	
			Ouaci - Municini	1 & Dome	oot equals 448.83 gallons per i	
3.	The water to be used for	Iri	rigation, power, mining, industri	al, etc. If for sto	ock state number and kind of ar	imals.
4.	The water heretofore perm	nitted for	Quasi - Municipa		STIC for stock state number and kin	d of animals.
5.	The water is to be diverted	d at the follow				
	M.D.B. & M. or at	a point fr	om which the SE (as being within COYNEY Of	a 40-acre subdivision of public f said section 2	survey and by course and 9 bears
	distance to a section corner. If on un S. 45 ⁰ 17 ¹ 30 ^H E.	surveyed land, it she	ould be stated.	*****		
	ALAAA					
6.	The existing permitted poi	int of diversion	is located within	4 SW4 Sec	ction 29, T.14N.	, R.20E.,
	M.D.B. & M. or at	a point fr	om which the SE	corner o	f said section 2	9 bears
	S. 63 ⁰ 25' 12" E.	A distance	of 2975 feet.			
			,		CEL SEL SEL SE	
7.	Proposed place of use	NW4, N2 3	W名, SECTION 20; i scribe by legal subdivisions. If f	or irrigation stat	c number of acres to be irrigat	ed.
	T.14 N., R.20 E.,	M.D.B. & M	•	·		
_		Unchanged				
8.	Existing place of use	Describe by leg	al subdivisions. If permit is for i	rrigation, state n	number of acres irrigated. If ch	anging place of use and/or
	manner of use of irrigation permit, d	lescribe acreage to b	e removed from irrigation.			

9.	Use will be from	January 1	to	Decemb	er 31 Month and Day	of each year.
	Use was permitted from		nth and Day			
11.	Description of proposed v		•			
	specifications of your dive	ersion or storag	ge works.) Well, Pu	mp, Moto State manner	r & Distribution in which water is to be diverte	System. d, i.e. diversion structure,
	ditches, pipes and flumes, or drilled	well, etc.		******************************		
12.	Estimated cost of works	¢EO OO	0.00			
	Estimated time required to		_{rks} 2 year	s		

Health Spa & Golf Course Facilities By Compared bc/bp am/se Protested APPROVAL OF S This is to certify that I have examined the foregoing appl following limitations and conditions: This permit to waters of an underground source as heretoff subject to the terms and conditions impunderstanding that no other rights on to proposed herein. The well shall be equipped meter must be installed and maintained in diversion and accurate measurements must be The totalizing meter must be installed before the proof of completion of work is filed. Installed and maintained to prevent wasted designated by the State Engineer pursuant right to regulate the use of the water herein this permit does not extend the permit public, private or corporate lands. The well must be sealed with cement ground level to 100 feet.	s/Jack D. Ferris S/Jack D. Ferris THIEL, WINCHELL & ASSOCIATES 34 Lakes Blvd, Suite 101 Dayton, Nevada 89403 STATE ENGINEER Sication, and do hereby grant the same, subject to the co-change the point of diversion of the core granted under Permit 52692 is issued cosed in said Permit 52692 and with the che source will be affected by the change and with a 2-inch opening and a totalizing the discharge pipeline near the point of kept of water placed to beneficial use. One any use of the water begins or before If the well is flowing, a valve must be a to NRS 534.030. The State retains the a granted at any and all times. Wittee the right of ingress and egress on grout, concrete grout or neat cement from
Water will be used for Saratoga Spr Health Spa & Golf Course Facilities By Compared bc/bp Protested APPROVAL OF S This is to certify that I have examined the foregoing appl following limitations and conditions: This permit to waters of an underground source as heretoff subject to the terms and conditions impunderstanding that no other rights on to proposed herein. The well shall be equipped meter must be installed and maintained in diversion and accurate measurements must be the totalizing meter must be installed before the proof of completion of work is filed. Installed and maintained to prevent wasted the proof of completion of work is filed. Installed and maintained to prevent wasted designated by the State Engineer pursuant right to regulate the use of the water herein This permit does not extend the permit public, private or corporate lands. The well must be sealed with cement ground level to 100 feet.	s/Jack D. Ferris THIEL, WINCHELL & ASSOCIATES 34 Lakes Blvd, Suite 101 Dayton, Nevada 89403 STATE ENGINEER Sication, and do hereby grant the same, subject to the conchange the point of diversion of the conchange the point of diversion of the concept of the discharge pipeline near the point of the concept of the water placed to beneficial use. For any use of the water begins or before the concept of the con
Health Spa & Golf Course Facilities By Compared bc/bp am/se Protested APPROVAL OF S This is to certify that I have examined the foregoing apple following limitations and conditions: This permit towaters of an underground source as heretoff subject to the terms and conditions impunderstanding that no other rights on topposed herein. The well shall be equipped meter must be installed and maintained in diversion and accurate measurements must be The totalizing meter must be installed before the proof of completion of work is filed. Installed and maintained to prevent wasted designated by the State Engineer pursuant right to regulate the use of the water hereing this permit does not extend the permit public, private or corporate lands. The well must be sealed with cement ground level to 100 feet.	s/Jack D. Ferris THIEL, WINCHELL & ASSOCIATES 34 Lakes Blvd, Suite 101 Dayton, Nevada 89403 STATE ENGINEER Station, and do hereby grant the same, subject to the co-change the point of diversion of the core granted under Permit 52692 is issued cosed in said Permit 52692 and with the che source will be affected by the change and with a 2-inch opening and a totalizing the discharge pipeline near the point of kept of water placed to beneficial use. For any use of the water begins or before If the well is flowing, a valve must be called the course of the source is located within an area at to NRS 534.030. The State retains the agranted at any and all times. Another the right of ingress and egress on grout, concrete grout or neat cement from grout, concrete grout or neat cement from
This is to certify that I have examined the foregoing applications and conditions: This permit to subject to the terms and conditions implicated in the proposed herein. The well shall be equipped the totalizing meter must be installed and maintained in diversion and accurate measurements must be the totalizing meter must be installed before the proof of completion of work is filed. Installed and maintained to prevent wasted the signated by the State Engineer pursuant right to regulate the use of the water hereing the private or corporate lands. The well must be sealed with cement ground level to 100 feet.	s/Jack D. Ferris THIEL, WINCHELL & ASSOCIATES 34 Lakes Blvd, Suite 101 Dayton, Nevada 89403 STATE ENGINEER Station, and do hereby grant the same, subject to the co-change the point of diversion of the core granted under Permit 52692 is issued cosed in said Permit 52692 and with the che source will be affected by the change and with a 2-inch opening and a totalizing the discharge pipeline near the point of kept of water placed to beneficial use. One any use of the water begins or before If the well is flowing, a valve must be compared to NRS 534.030. The State retains the agranted at any and all times. This source is located within an area of the tright of ingress and egress on grout, concrete grout or neat cement from grout.
This is to certify that I have examined the foregoing applications and conditions: This permit to the terms and conditions implicated must be installed and maintained in liversion and accurate measurements must be the totalizing meter must be installed before the proof of completion of work is filed. Installed and maintained to prevent wasted the proof of the state of the water hereing the proof of the state of the water hereing the proof of the state of the water hereing the private or corporate lands. The well must be sealed with cement ground level to 100 feet.	s/Jack D. Ferris THIEL, WINCHELL & ASSOCIATES 34 Lakes Blvd, Suite 101 Dayton, Nevada 89403 STATE ENGINEER State State Inch opening of the diversion of the source will be affected by the change of the source will be affected by the change of the discharge pipeline near the point of kept of water placed to beneficial use. One any use of the water begins or before If the well is flowing, a valve must be seen any use of the state retains the state Inch of Ingress and egress on state the right of ingress and egress on grout, concrete grout or neat cement from grout.
This is to certify that I have examined the foregoing applications and conditions: This permit to the terms and conditions implementations that no other rights on the proposed herein. The well shall be equipped the totalizing meter must be installed and maintained in the totalizing meter must be installed before the proof of completion of work is filed. Installed and maintained to prevent wasted to regulate the use of the water hereing this permit does not extend the permit to regulate the use of the water hereing the conditions of the proof of completion of the water hereing the proof of the water hereing the proof of the water hereing the permit does not extend the permit the well must be sealed with cement ground level to 100 feet.	34 Lakes Blvd, Suite 101 Dayton, Nevada 89403 STATE ENGINEER Station, and do hereby grant the same, subject to the co-change the point of diversion of the core granted under Permit 52692 is issued as a said Permit 52692 and with the che source will be affected by the change and with a 2-inch opening and a totalizing the discharge pipeline near the point of kept of water placed to beneficial use. For any use of the water begins or before If the well is flowing, a valve must be care any use of the sater begins or before If the well is flowing, a valve must be care any and all times. This source is located within an area at to NRS 534.030. The State retains the first granted at any and all times. The product of the right of ingress and egress on grout, concrete grout or neat cement from grout.
This is to certify that I have examined the foregoing applications and conditions: This permit to the terms and conditions implementations that no other rights on the proposed herein. The well shall be equipped the totalizing meter must be installed and maintained in the totalizing meter must be installed before the proof of completion of work is filed. Installed and maintained to prevent wasted to regulate the use of the water hereing this permit does not extend the permutation, private or corporate lands. The well must be sealed with cement ground level to 100 feet.	34 Lakes Blvd, Suite 101 Dayton, Nevada 89403 STATE ENGINEER Station, and do hereby grant the same, subject to the co-change the point of diversion of the core granted under Permit 52692 is issued as a said Permit 52692 and with the che source will be affected by the change and with a 2-inch opening and a totalizing the discharge pipeline near the point of kept of water placed to beneficial use. For any use of the water begins or before If the well is flowing, a valve must be care any use of the sater begins or before If the well is flowing, a valve must be care any and all times. This source is located within an area at to NRS 534.030. The State retains the first granted at any and all times. The product of the right of ingress and egress on grout, concrete grout or neat cement from grout.
Protested APPROVAL OF S This is to certify that I have examined the foregoing applications and conditions: This permit to the terms and conditions improved the terms and conditions improved the terms and conditions improved the terms. The well shall be equipped the term of the terms and maintained in diversion and accurate measurements must be the totalizing meter must be installed before the proof of completion of work is filed. Installed and maintained to prevent wasted designated by the State Engineer pursuant right to regulate the use of the water hereing the total tot	34 Lakes Blvd, Suite 101 Dayton, Nevada 89403 STATE ENGINEER Station, and do hereby grant the same, subject to the co-change the point of diversion of the core granted under Permit 52692 is issued bosed in said Permit 52692 and with the che source will be affected by the change and with a 2-inch opening and a totalizing the discharge pipeline near the point of kept of water placed to beneficial use. For any use of the water begins or before If the well is flowing, a valve must be care any use of the sater begins or before the well is flowing, a valve must be care any and all times. This source is located within an area at to NRS 534.030. The State retains the sater the right of ingress and egress on grout, concrete grout or neat cement from grout, concrete grout or neat cement from
This is to certify that I have examined the foregoing applications and conditions: This permit to waters of an underground source as heretoff subject to the terms and conditions impunderstanding that no other rights on to proposed herein. The well shall be equipped neter must be installed and maintained in diversion and accurate measurements must be the totalizing meter must be installed before the proof of completion of work is filed. Installed and maintained to prevent wasted designated by the State Engineer pursuant right to regulate the use of the water herein. This permit does not extend the permit of the well must be sealed with cement ground level to 100 feet.	STATE ENGINEER State Engineer
This is to certify that I have examined the foregoing appliculations and conditions: This permit to waters of an underground source as heretoff subject to the terms and conditions impunderstanding that no other rights on to proposed herein. The well shall be equipped meter must be installed and maintained in diversion and accurate measurements must be the totalizing meter must be installed before the proof of completion of work is filed. Installed and maintained to prevent wasted designated by the State Engineer pursuant right to regulate the use of the water hereing the private or corporate lands. The well must be sealed with cement ground level to 100 feet.	dication, and do hereby grant the same, subject to the co-change the point of diversion of the core granted under Permit 52692 is issued cosed in said Permit 52692 and with the che source will be affected by the change of with a 2-inch opening and a totalizing the discharge pipeline near the point of kept of water placed to beneficial use. For any use of the water begins or before If the well is flowing, a valve must be care any use of the state retains the first to NRS 534.030. The State retains the first granted at any and all times.
This is to certify that I have examined the foregoing applications and conditions: This permit to waters of an underground source as heretoff subject to the terms and conditions impunderstanding that no other rights on to proposed herein. The well shall be equipped neter must be installed and maintained in diversion and accurate measurements must be the totalizing meter must be installed before the proof of completion of work is filed. Installed and maintained to prevent wasted designated by the State Engineer pursuant oright to regulate the use of the water hereing the private or corporate lands. The well must be sealed with cement ground level to 100 feet.	dication, and do hereby grant the same, subject to the conchange the point of diversion of the core granted under Permit 52692 is issued as a cosed in said Permit 52692 and with the che source will be affected by the change and with a 2-inch opening and a totalizing the discharge pipeline near the point of kept of water placed to beneficial use. For any use of the water begins or before If the well is flowing, a valve must be at to NRS 534.030. The State retains the agranted at any and all times. The proof of the result of the same and the concrete grout or neat cement from grout, concrete grout or neat cement from grout, concrete grout or neat cement from
waters of an underground source as heretof subject to the terms and conditions impunderstanding that no other rights on toproposed herein. The well shall be equipped neter must be installed and maintained in diversion and accurate measurements must be the totalizing meter must be installed before the proof of completion of work is filed. Installed and maintained to prevent wasted designated by the State Engineer pursuant right to regulate the use of the water herein this permit does not extend the permoublic, private or corporate lands. The well must be sealed with cement ground level to 100 feet.	co change the point of diversion of the fore granted under Permit 52692 is issued cosed in said Permit 52692 and with the che source will be affected by the change of with a 2-inch opening and a totalizing the discharge pipeline near the point of kept of water placed to beneficial use. For any use of the water begins or before If the well is flowing, a valve must be at to NRS 534.030. The State retains the agranted at any and all times. This is the print of ingress and egress on grout, concrete grout or neat cement from grout, concrete grout or neat cement from
392.18 acre-feet. (CONTINUED ON PAGE 2)	Permits 54651 and 54652 shall not exceed
The amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the amount of water to be changed shall be limited to the limit of water to be changed shall be limited to the limit of water to be changed shall be limited to be changed shall be limited to be changed shall be limited to the limit of water to be changed shall be limited to the limit of water to be changed shall be limited to be changed shall be limited to the limit of water to be changed shall be limited to be	er second, but not to exceed 392.18 acre-
Vork must be prosecuted with reasonable diligence and be comp	
roof of completion of work shall be filed before	
application of water to beneficial use shall be made on or before	
roof of the application of water to beneficial use shall be filed of	
Map in support of proof of beneficial use shall be filed on or bef	ore <u>August 18, 1995</u>
	ONY WHEREOF, I, R. MICHAEL TURNIPSEED, P. E
roof of beneficial use filed	gincer of Nevada, have hereunto set my hand and the seal of my
office, thultural map filed	nis 8th day of February
A.D. 19 Certificate NoIssued	2///
7 1076 0.4327 70917 0.1525 ated By Pock, 67437 0.149	State Engineer

Page 2 54651

(PERMIT TERMS CONTINUED)

The total combined duty of water under Permits 52707, 54511-T, 54651, 54652 and 54653 shall not exceed 890.18 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is limited to 541 dwellings and health spa use only. The golf course use from underground sources must be limited to the amount granted under Permits 52707, 54511-T and 54653 being 498.0 acre feet annually.

A totalizing meter must be installed in the discharge line of the distribution system of the golf course and separate from the distribution system of the 541 unit subdivision and health spa. Accurate measurements must be kept of water placed to beneficial use separately on each system.

This permit is issued with the understanding that any withdrawal or cancellation of this permit will result in the amount of water granted under this permit reverting back to the groundwater source and not to the base right.

This permit is issued with the understanding that this right remains appurtenant to this place of use.

